

aiUltimate: All in One Inspection System Grayscale – Color – 3-D




- 100% Inspection System for Coils, Sheets, and Parts
- Inspects Metal, Paper, Nonwoven, Film, and Plastics
- Perform Color Inspection of Printed Surfaces
- Turnkey Systems
- Custom Vision Applications

Build Using Chromasens 3DPIXA 3-D Cameras



Chromasens 3DPIXA Cameras acquire 2D Color and 3D imagery at previously unimagined rates. Previous approaches required multiple cameras and complex lighting setups to achieve the same results. The 3DPIXA camera product line includes cameras optimized for high resolutions or large surface areas.

	Camera Features
Sensor Type	True Color Trilinear Line Scan for High Color Fidelity
Resolutions	Up to 7K Horizontal Resolution
Line Rate	Up to 21.2 kHz
2D Resolution	5 μm – 70 μm
3D Resolution	1 µm – 14 µm
Number of Cameras	Up to 4 Cameras in Each View
Views	One Sided or Two Sided Inspection



Turnkey System Components

- Cameras Assembly (Cameras, Lenses, Mounts, Power Supplies, & Cables)
- Lights and Light Controllers
- Encoders, Digital I/O, and Alarms
- Operator Console and Enclosures
- Image Processor, and Database Server
- Complete Ready to Use Software

Applications



2-D and 3-D Inspection of Coils and Sheets

Detect scratches, holes, dirt, oils, stains, streaks, repeating defects, spots, contamination, and more.



Color/Print Inspection

Detect missing ink, flooded ink, print on print registration issues, discoloration, incorrect hues, and more.



Parts

Detect missing material, excess material, scratches, pitting, fractures, uneven surfaces, and more.



Metrology

Measure position, straightness, flatness circularity, angularity, parallelism, concentricity, and more.

aiUltimate Software Suite

- System Configurator
- Real-time Inspector
- Reviewer Offline Review Application
- Database Management Tools

Key Software Features

Video Acquisition & Display: Live video display, recording, & playback Defect Detection: Multiple application specific defect detection algorithms Metrology: Special tools for metrology and dimensional measurements Classification: Multilevel learning base classifier Repeating Defect Detection Defect Density Analysis Configurable Item, Lane, and Tile Grading Automatic Edge Tracking Plant Data Integration Multiple Configurable Digital Inputs and Outputs Support for Alarms and Markers/Taggers User Management

PDF, HTML, and XML Reports

Industry Standard Database to Store Inspection Results

	· Report Tanto				100000 BB		 T top 04 		The Next of Articipal Distriction In
a la sere	ALC: NO.	Contraction of the	DOCTOR NO.	1000	Sector 1	P 10			
*1	Companie	(0.01)	100	1000.62	10.00/ 400/ 10	- manufacture			C Anal Series III Contra
						K - S	2 L		182' Repeat
						R 2.	1 T I		
						P 47.	A 3		
						1. A.	S 📫		
						14 C			
						12 1			
							1 C		
						1 1	5		
							1		10 S 10 A 1
						1. 2			
						1 .3			(the T(th) T)
-	· Anna Anna	100.0				1.3		Date:	10
	- April Tata				-			Index Practice WD	10 205 *
		1 march			-			Tradition Vice Provident Vice	18 236 t 345 z
		Real Property lies		125		1	1	Data Pastar ND Ratar D Rat	200 8 2000 8 2000
-	COLUMN T	ALC: UNK	41478	140	110			inim Austra-10 Austra-11 Aus	10 200 = 200 = 108 = 108 == 108 ==
1	1.11 A.14	And Street	228	525 648 622	147		÷ .	inim Austraniti Austraniti Aus Aus Austraniti	30 2005 8 2005 8 2007 8 40 404 400 404
i.	100 MARTIN	All The sectors	210	100. 148 120 128	100 109 109		÷ .	bala Autor Ki Autor Ki Autor Kata Kata	30 8 300 8 300 8 301 8 302 8 303 8 304 8 305 8 306 8 307 8
1111111	111 111 111 111		225 277 245 245 256 256 256	100 148 120 120 120 120 120	10	No.		Index Analises HD Analises ID Analises	200 A
	445 4 120 220 240 240 240 240		228 270 270 270 270 270 270 270 270 270 270	500 520 520 520 520 520 520 520	100 100 100 100 100 100	1	1	Solar Anator KD Anator ID Ana Kan Kan Kan Kan Kan San San San San	30 3 306 8 308 8 308 8 308 8 308 8 309 8 301 8 302 8 303 8 304 8 305 8 306 8 307 8 308 8 309 8 300 8 300 8
1111111111	I I I I I I I I		228 28 27 28 28 28 28 28 28 28 28 28 28	500 520 520 520 520 520 520 520 520 520	1 1 5 1 5 5 5 5		1	Salan Audura HD Anatori (1) Ana Bia Ikaa Kaa Kaa Anatori Agant Agant Agant	50 50 50 50 50 50 50 50 50 50 50 50 50 5
TANKA AND	2.27 (2.28) 2.26 2.26 2.46 2.46 2.46 2.46 2.46 2.46		121221211	95555555	1 H 2 H 3 H 4 H 1	C. N. L.	A A A A A A A A A A A A A A A A A A A	Solar Austan HD Austan HD Austan HD Austan Beath Hogan	20 20 20 20 20 20 20 20 20 20
	2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	California California California California California California California California California California California California California California		10000	100 100 100 100 100 100 100 100 100 100	and the second second	A STATE	Shine Audion HD Audion HD Audion HD Audion Rei And Might Mig	50 50 50 50 50 50 50 50 50 50 50 50 50 5
	2-3 2-3 2-3 2-3 2-4 2-4 2-4 2-4 2-4 2-4 2-4 2-4 2-4 2-4	Constant Con	228 280 245 245 245 245 246 258 258 258 246 258		110 129 129 120 129 129 129 129 129 140 140	above "he been all	and the second	Adm Austra HD Austra HD Aus Aus Aus Aus Aus Aus Aus Aus Aus Aus	100 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
2.	2-21 2-21 2-21 2-21 2-21 2-21 2-24 2-24		228 280 245 245 245 245 246 258 258 258 258 258 258	500 500 500 500 500 500 500 500 500 500	110 129 199 199 199 199 199 199 199	and the second second	the state	Antino 100 Antino 100 Antino 100 Anti Anti Anti Antino Ul Antino Ul Antino Ul Antino Ul Antino Antin	200 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	2-21 2-22 2-24 2-24 2-24 2-24 2-24 2-24	2010 Control C	2238 2340 2340 2340 2340 2340 2340 2340 2340	58 58 53 55 55 55 55 55 55 55 55 55 55 55 55	110 129 129 129 129 129 129 129 129	and the second second	the state of the s	Adm Austra HD Austra HD Aus Aus Aus Aus Aus Aus Aus Aus Aus Aus	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1-1 1-2 1-2 1-2 1-2 1-2 1-2 1-2 1-2 1-2	2000 Control Control 2010 Temport 2010 Tempo	228 240 217 240 240 240 240 240 240 240 240 240 240	58 58 52 52 52 52 52 52 52 52 52 52 52 52 52	110 127 129 129 129 129 129 129 129 129 129 129	man . I wanter	the state of the	Antino 100 Antino 100 Antino 100 Anti Anti Anti Antino Ul Antino Ul Antino Ul Antino Ul Antino Antin	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	2-21 2-22 2-24 2-24 2-24 2-24 2-24 2-24	2010 Control C	2238 2340 2340 2340 2340 2340 2340 2340 2340		110 129 129 129 129 129 129 129 129	and the second second	and the second second	Antino 100 Antino 100 Antino 100 Anti Anti Anti Antino Ul Antino Ul Antino Ul Antino Ul Antino Antin	30 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3

Application Features



Easy to use Apps

The key to success with industrial applications is the interaction with the operator. Al designs its Apps to be used by touch screen, mouse, or keyboard. The focus is on ease of use and real time feedback. All apps are driven by distinct shortcuts to all key screens. Operators become experts after one shift of use.



Post Production Analysis

Enables single touch recording. At any time, an operator can record the complete web. The data can be replayed back through the inspection system for tuning, or for process analysis. Recordings can also be archived for later use. This is an invaluable tool for process engineers.



Multi-Monitor Workflow

variations while targeting real defects.

Enables dual monitor support. The operator can display the complete web or sheet while using the second monitor for defect analysis and system operation. Video Plex offers the operator different display options such as the last defect, or to operate a patrol of selected regions, or simple a view of the complete web or sheet.

	_	_	٦
			1
			_
ч.		-	2
		1/	

Recipes

Flexible product inspection comes in the form of recipes. There is no limit to the number that can be stored so specialized quality settings may be applied according to product, job, order, or substrate. These are applied on a job by job basis using Al's scheduler.

Provides the operator with a familiar interface to adjust the system in real time. The interface provides real time feedback to the user and enables the operator to tune the system to allow normal process



Reports Available according to job. All relevant information including defect images are stored in easy to access XML or CSV file formats. These can then be analyzed with Microsoft Excel or a data mining package. Al interfaces to many common manufacturing intelligence packages, enabling compliance reporting and OEE monitoring.



Actions

Alarms, flagging, machine control and waste removal are supported by Al's action matrix. When a serious class of defect occurs, the operator can see the defect on the screen and a designated action sequence is activated such as driving a downstream device to reject. A flag may be attached for roll to roll processes. Al also supports interfaces to enable smart coding for automated removal at slitting or doctor machines.



AI 365

Provides direct access to Al's online support system. The operator can access a knowledge base, flash videos on how to use the software and lots more. With Al's Apps, the operator is only one click away from an expert.

Working with AI

Lower Cost

Al empowers its clients by supplying self-install kits using commercial off-the-shelf components, software, and technical services that are required to implement a complete inspection solution.

Al provides a detailed bill of material with part numbers and supplier information. This allows customers to purchase spare parts and upgrade hardware directly at a fraction of the cost.

By working in this collaborative manner, AI can lower the cost of ownership of high performance vision systems.



There are no hidden parts in each vision system. It is clear what is purchased. The purpose and performance of each component understood and the step cost between proposed solutions is transparent.

If you have a fixed budget, you can optimize the configuration and components to match your application. Future upgrades to the system can be planned for and budgeted ahead of time.



Al's core product is software. These Apps are constantly enhanced and available as upgrades free of charge for the first twelve months.

Al's clients can access our online case management system 365 days per year, which includes a variety of training tools. The customer's IT department and maintenance personnel are enabled to support the equipment without waiting for expensive 3rd party experts to arrive on site.

Active Inspection Inc. 3250 28th Street SE Suite 101 Kentwood MI, 49512 USA

+1 (616) 401 7280 sales@activeinspection.com www.activeinspection.com

